

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and
a first composition and a second composition different in color from the first composition within the container ~~having an application surface, the first composition including a first portion comprising an aluminum-zirconium antiperspirant salt and [[a]] the second portion composition comprising an aluminum-zirconium antiperspirant salt wherein each aluminum-zirconium antiperspirant salt independently includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$, wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$, wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and wherein the second portion has a different composition than the first portion,~~ the first ~~portion composition~~ and the second ~~portion composition~~ each independently comprising at least 15% of the application surface.
- 2-4. (Cancelled)
5. (Original) The product of claim 1, wherein the second ~~portion composition~~ is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.
6. (Cancelled)
7. (Currently Amended) The product of claim 1, wherein the application surface consists of the first ~~portion composition~~ and the second ~~portion composition~~.
8. (Currently Amended) The product of claim 1, wherein the first ~~portion composition~~ comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of the antiperspirant salt, and

the second ~~portion~~ composition comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of the antiperspirant salt.

9. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first composition and a second composition different in color from the first composition within the container ~~having an application surface~~, the first composition including a first portion comprising at least 6 USP weight percent of an aluminum-zirconium antiperspirant salt and [[a]] the second portion composition comprising at least 6 USP weight percent of an aluminum-zirconium antiperspirant salt wherein each aluminum-zirconium antiperspirant salt independently includes mixtures or complexes of aluminum salts having the formula $Al_2(OH)_{6-a}X_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $ZrO(OH)_{4-pb}Y_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and wherein ~~the second portion has a different composition than the first portion~~, both the first portion composition and the second portion composition form [[ing]] part of the application surface.

10. (Cancelled).

11. (Currently Amended) The product of claim 9, wherein either the first ~~portion composition~~ or the second ~~portion composition~~ is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

12. (Cancelled).

13. (Currently Amended) The product of claim 9, wherein the first ~~portion composition~~ comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of an antiperspirant salt, and the second ~~portion composition~~ comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of the antiperspirant salt by weight.

14-15. (Cancelled).

16. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first composition and a second composition different in color from the first composition within the container ~~having an application surface~~, the first composition having a first portion comprising an aluminum-zirconium antiperspirant salt and ~~[[a]]~~ the second portion composition comprising an aluminum-zirconium antiperspirant salt, wherein each aluminum-zirconium antiperspirant salt independently includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I, or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, ~~and wherein the second portion has a different composition from the first portion~~, the application surface consisting of the first portion composition and the second portion composition.

17. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product, comprising a container, and

a first composition and a second composition different in color from the first composition within the container ~~having an application surface~~, the first composition having a first portion comprising a volatile silicone and ~~[[a]]~~ the second portion composition comprising a volatile silicone and an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, ~~and wherein the second portion has a different composition from the first portion~~, the first portion composition and the second portion composition each independently comprising at least 15% of the application surface.

18. (Currently Amended) The product of claim 17, wherein the first portion composition further comprises an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts

having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

19. (Cancelled).

20. (Currently Amended) The product of claim 17, wherein the first ~~portion~~ composition or the second ~~portion~~ composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

21. (Currently Amended) The product of claim 18, wherein the first ~~portion~~ composition comprises at least 6 USP weight percent of the antiperspirant salt and the second ~~portion~~ composition comprises at least 6 USP weight percent of the antiperspirant salt.

22. (Cancelled).

23. (Original) The product of claim 17, wherein the volatile silicone is a cyclomethicone.

24. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first composition and a second composition different in color from the first composition within the container ~~having an application surface, the first composition having a first portion~~ comprising a volatile silicone and ~~[[a]] the second portion composition~~ comprising a volatile silicone and an aluminum-zirconium antiperspirant salt wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, ~~and wherein the second portion has a different composition from the first portion,~~ the application surface consisting of the first ~~portion~~ composition and the second ~~portion~~ composition.

25. (Currently Amended) The product of claim 24, wherein the first ~~portion~~ composition further comprises an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts

having the formula $\text{ZrO}(\text{OH})_{4-p}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

26. (Cancelled).

27. (Currently Amended) The product of claim 25, wherein the second ~~portion~~ composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

28. (Currently Amended) The product of claim 24, wherein the first ~~portion~~ composition comprises at least 6 USP weight percent of the antiperspirant salt and the second ~~portion~~ composition comprises at least 6 USP weight percent of the antiperspirant salt.

29. (Cancelled).

30. (Original) The product of claim 24, wherein said volatile silicone is a cyclomethicone.

31. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first composition and a second composition different in color from the first composition within the container ~~having an application surface~~, the first composition having a first portion comprising a high melting wax and a second ~~portion~~ composition comprising a high melting wax and an antiperspirant salt, ~~the second portion having a different composition from the first portion~~, the first ~~portion~~ composition and the second ~~portion~~ composition each independently comprising at least 15% of the application surface.

32. (Currently Amended) The product of claim 31, wherein the first ~~portion~~ composition further comprises an antiperspirant salt.

33. (Previously Presented) The product of claim 31, wherein the antiperspirant salt is an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-p}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

34. (Currently Amended) The product of claim 31, wherein the first ~~portion~~ composition or the second ~~portion~~ composition is in the form of a lengthwise-extending stripe extending

approximately from a first end of the application surface to a second end of the application surface.

35. (Currently Amendment) The product of claim 32, wherein the first ~~portion~~ composition comprises at least 6 USP weight percent of the antiperspirant salt and the second ~~portion~~ composition comprises at least 6 USP weight percent of the antiperspirant salt.

36. (Cancelled).

37. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first composition and a second composition different in color from the first composition within the container ~~having an application surface~~, the first composition ~~having a first portion~~ comprising a high melting wax and ~~[[a]]~~ the second portion composition comprising a high melting wax and an antiperspirant salt, ~~the second portion having a different composition from the first portion~~, the application surface consisting of the first ~~portion~~ composition and the second ~~portion~~ composition.

38. (Currently Amended) The product of claim 37, wherein the first ~~portion~~ composition further comprises an antiperspirant salt.

39. (Previously Presented) The product of claim 37, wherein the antiperspirant salt is an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

40. (Currently Amended) The product of claim 37, wherein the first ~~portion~~ composition or the second ~~portion~~ composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

41. (Currently Amended) The product of claim 38, wherein the first ~~portion~~ composition and the second ~~portion~~ composition each comprises at least 6 USP weight percent of the antiperspirant salt.

42. (Cancelled).

43. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first composition and a second composition different in color from the first composition within the container ~~having an application surface~~, the first composition having a first portion comprising from 0% to ~~[[10]]~~ 5% by weight of a hydrophilic vehicle and ~~[[a]]~~ the second portion composition comprising from 0% to ~~[[10]]~~ 5% by weight of a hydrophilic vehicle and an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $Al_2(OH)_{6-a}X_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $ZrO(OH)_{4-pb}Y_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, ~~and wherein the second portion has a different composition from the first portion~~, the first portion composition and the second portion composition each independently comprising at least 15% of the application surface.

44. (Currently Amended) The product of claim 43, wherein the first ~~portion composition~~ further comprises an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $Al_2(OH)_{6a}X_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $ZrO(OH)_{4-pb}Y_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

45. (Cancelled).

46. (Original) The product of claim 43, wherein the first ~~portion composition~~ or the second ~~portion composition~~ is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

47 (Currently Amended) The product of claim 44, wherein the first ~~portion composition~~ comprises at least 6 USP weight percent of the antiperspirant salt and the second ~~portion composition~~ comprises at least 6 USP weight percent of the antiperspirant salt.

48-49. (Cancelled).

50. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first composition and a second composition different in color from the first composition within the container ~~having an application surface~~ comprising from 0% to ~~[[10]]~~5% by weight of a hydrophilic vehicle and an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, ~~and wherein the second portion has a different composition from the first portion~~, the application surface consisting of the first ~~portion~~ composition and the second ~~portion~~ composition.

51. (Currently Amended) The product of claim 50, wherein the first ~~portion~~ composition further comprises an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.

52. (Cancelled).

53. (Currently Amended) The product of claim 50, wherein the first ~~portion~~ composition or the second ~~portion~~ composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

54. (Currently Amended) The product of claim 51, wherein the first ~~portion~~ composition comprises at least 6 USP weight percent of the antiperspirant salt and the second ~~portion~~ composition comprises at least 6 USP weight percent of the antiperspirant salt.

55-56. (Cancelled).

57. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first composition and a second composition different in color from the first composition within the container ~~an application surface~~, the first composition having ~~a first portion~~ comprising at least 10% by weight of a hydrophilic vehicle and an antiperspirant salt selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, and ~~[[a]]~~ the second portion composition comprising at least 10% by weight of a hydrophilic vehicle and an antiperspirant salt selected from the group consisting of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$ and zirconium salts having the formula $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y, ~~the second portion having a different composition from the first portion.~~

58-60. (Cancelled).

61. (Previously Presented) The product of claims 1, 9, or 16, wherein the first portion composition comprises at least 10% by weight of a polyhydric alcohol and a dibenzylidene alditol and wherein the antiperspirant salt is dissolved in the polyhydric alcohol, and wherein the second portion composition also comprises at least 10% by weight of a polyhydric alcohol and a dibenzylidene alditol.

62. (Cancelled).

63. (Currently Amended) The product of claim 57, wherein the first portion composition comprises a dibenzylidene alditol and wherein the hydrophilic vehicle comprises a polyhydric alcohol and the antiperspirant salt is dissolved in the hydrophilic vehicle.

64. (Currently Amended) The product of claim 63, wherein the second portion composition also comprises a dibenzylidene alditol and wherein the hydrophilic vehicle comprises a polyhydric alcohol.

65. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first composition and a second composition within the container ~~having an application surface~~, the first composition ~~including a first portion~~ comprising at least 10% by weight of a polyhydric alcohol, a dibenzylidene alditol, and an antiperspirant salt and/or a deodorant active ingredient, and a second ~~portion~~ composition comprising at least 10% by weight of a polyhydric alcohol, a dibenzylidene alditol, and an antiperspirant salt and/or a deodorant active ingredient ~~and having a different composition from the first portion~~, both the first ~~portion~~ composition and the second ~~portion~~ composition forming part of the application surface, the first ~~portion~~ composition and/or the second ~~portion~~ composition being optically clear, and the first ~~portion~~ composition and/or the second ~~portion~~ composition including an antiperspirant salt, wherein each antiperspirant salt independently is selected from the group consisting of aluminum salts having the formula $Al_2(OH)_{6-a}X_a$ wherein X is Cl, Br, I or NO_3 and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula $Al_2(OH)_{6-a}X_a$ and zirconium salts having the formula $ZrO(OH)_{4-pb}Y_b$ wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y wherein Y is Cl, Br, I, NO_3 , or SO_4 , b is about 0.8 to about 4, and p is in the valence of Y.